

AITRL Human Recombinant, His Tag

Catalogue Number	IY-317
Synonyms	Osteostat, TNFSF18, Activation-induced TNFR member Ligand, GITRL,TL6,
	AITRL, Glucocorticoid-induced TNF-related ligand, hGITRL, Tumor necrosis
	factor ligand superfamily member 18, MGC138237.
Introduction	Osteostat is the cytokine that binds to TNFRSF18/AITR/GITR and is
	important for interactions between activated T-lymphocytes and
	endothelial cells and may modulate T-lymphocyte survival in peripheral
	tissues. Osteostat is expressed at high levels in the small intestine, ovary,
	testis, kidney and endothelial cells after stimulation by
	lipopolysaccharides.
	Osteostat protein is detectable in human microvascular EC and is highly up
	regulated by IFN-alpha and IFN-beta. Osteostat inhibit differentiation of
	osteoclasts from monocytic precursor cells. Osteostat suppresses the early
	stage of osteoclastogenesis via inhibition of macrophage colony-
	stimulating factorinduced receptor activator of NF-kappaB (RANK)
	expression in the osteoclast precursor cells. Osteostat does not inhibit
	lipopolysaccharide-induced RANK expression in monocytes and dendritic
	cells, or activation-induced RANK expression in T cells. Osteostat is a novel
	regulator of osteoclast generation and substantiate the major role played
	by the endothelium in bone physiology.
Patent Rights	The sale and/or commercial use of Recombinant Adiponectin is prohibited
	in the United States of America (U.S.A).
Description	AITRL Recombinant Human produced in E.Coli is a single, non-glycosylated
	polypeptide chain (aa 50-177) containing a total of 137 amino acids and
	having a molecular mass of 15.6kDa. The AITRL protein is fused to a 9 aa
	His Tag at C-terminus and purified by proprietary chromatographic
	techniques.
Source	Escherichia Coli.
Physical Appearance	Sterile Filtered colorless solution.
Formulation	AITRL protein solution (1mg/ml) contains 20mM Tris-HCl buffer (pH8.0) &
	10% glycerol.
Stability	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -
	20°C for longer periods of time. For long term storage it is recommended
	to add a carrier protein (0.1% HSA or BSA).
	Avoid multiple freeze-thaw cycles.
Purity	Greater than 85.0% as determined bySDS-PAGE.
Amino Acid Sequence	MQLETAKEPC MAKFGPLPSK WQMASSEPPC VNKVSDWKLE ILQNGLYLIY
	GQVAPNANYN DVAPFEVRLY KNKDMIQTLT NKSKIQNVGG TYELHVGDTI
	DLIFNSEHQV LKNNTYWGII LIANPQEISL EHHHHHH.
Usage	Products are furnished for LABORATORY RESEARCH USE ONLY. The
	product may not be used as drugs, agricultural or pesticidal products, food
	additives or household chemicals.